

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	209399	((600/300,301) or (128/903-905,920)). OCLS. or (("607") or ("340")).CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/04/28 10:16
L2	209399	L1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/04/28 10:16
L3	83666	"600".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/04/28 10:17
L4	673	I3 and (temperature) and (mouth, oral) same (waist, body, abdomen) and (correct, correction, adjust, adjustment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/04/28 10:18
L5	217	I3 and (temperature) same (mouth, oral) same (waist, body, abdomen) and (correct, correction, adjust, adjustment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/04/28 10:18
L6	26	I3 and (temperature) same (mouth, oral) same (waist, body, abdomen) same (correct, correction, adjust, adjustment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/04/28 10:19
L7	1	I3 and (temperature) same (mouth, oral) same (abdomen) same (correct, correction, adjust, adjustment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/04/28 10:21
L8	5	I3 and (temperature) same (mouth, oral) same (abdomen) and (correct, correction, adjust, adjustment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/04/28 10:21
L9	2548	(temperature same (mouth, oral)) and (temperature same (abdomen, stomach, back)) and (correct, correction, adjust, adjustment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/04/28 10:24
L10	203	I9 and core with temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/04/28 10:24

## EAST Search History

L11	1621	600/549.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/04/28 10:27
L12	58	l11 and abdomen	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/04/28 10:27
L13	21	l12 and (mouth, oral)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/04/28 10:27
L14	1201	(correction, adjustment) near2 (factor, constant) and (body, core) near3 temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/04/28 10:32
L15	212	l14 and (mouth, oral)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/04/28 10:32
L16	55	thermometer with (calibration, calibrate) and core near2 temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/04/28 10:38
L17	19	difference with (mouth, oral) with (body, abdomen) with temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/04/28 10:50
S1	198150	((600/300,301) or (128/903-905,920)). CCLS. or (("607" or ("340"))).CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/04/23 15:42
S2	0	("l1and(location, triangulat\$3)and(devicewithidentif\$7)").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/07/02 09:59
S3	2	("6302844").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/04/23 15:48

## EAST Search History

S4	0	S1 and ((location,triangulat\$3) same (station, tower)) and (devicewithidentif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/23 15:50
S5	0	S1 and ((location,triangulat\$3) same (station, tower)) and (device with identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/23 15:51
S6	0	S1 and ((location,triangulat\$3) same (station, tower))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/23 15:51
S7	61262	S1 and (location, triangulation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/23 15:51
S8	18117	S7 and (station, tower)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/23 15:51
S9	9270	S8 and location same (station, tower)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/23 15:51
S10	476	S9 and location with tower	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/23 15:52
S11	276	S10 and sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/23 15:55
S12	1	S11 and indentif\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/23 15:53
S13	30	S11 and rfid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/23 15:53

## EAST Search History

S14	2	S11 and "600".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/23 15:57
S15	6	((("6292698") or ("6577893") or ("6579231"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/04/23 15:58
S16	35	((("4129125") or ("5204670") or ("5319355") or ("5544661") or ("5652570") or ("5658250") or ("5722418") or ("5772586") or ("5872505") or ("5902234") or ("5929782") or ("5931791") or ("5959529") or ("5961451") or ("6024699") or ("6198394") or ("6292698"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/04/24 15:37
S17	61	S11 and flexible	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/23 16:09
S18	2	("6198394").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/04/24 15:37
S19	199822	((600/300,301) or (128/903-905,920)). OCLS. or (("607") or ("340")).CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/06/16 17:48
S20	1303	S19 and (sensor, electrode) same (prope\$3) same (attached, wearing, worn)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/16 17:50
S21	28	S20 and (rfid, indentif\$7) and gps	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/16 17:54
S22	40	600/300.ccls. and (prope\$4) with (worn, applied)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/16 17:56
S23	5295	brown.in. and properly	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/16 17:56

## EAST Search History

S24	13	S23 and 600/300.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/16 18:00
S25	6	((("6486588") or ("5997476") or ("6547738"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/06/16 18:05
S26	101784	sensor same (invalid, error, improper, extreme)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/16 18:06
S27	139	S26 and 600/300.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/16 18:06
S28	139	S27 not S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/16 18:07
S29	6	"7044911"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/16 18:07
S30	2	("7044911").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/06/16 18:07
S31	5	((("6589170") or ("2002013518"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/07/02 08:41
S32	525842	(location, gps, global near3 position\$4, triangulation) and (identif\$6, rfid, serial) and (alert, alarm, limit, threshold, notification, notify)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/02 10:01
S33	78663	S32 and (transceiver, antenna, transmitter, communication, wireless) and (flexible, bendable, pliable, bend, flex)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/02 10:02

## EAST Search History

S34	481	S32 and (transceiver, antenna, transmitter, communication, wireless) and (flexible, bendable, pliable, bend, flex) same (\$2shirt, clothes, clothing, sweater, pants)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/02 10:03
S35	359	S34 and (temperature, ecg, heart, medical, physiological, health)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/02 10:06
S36	352	S35 and (time\$1stamp, time, date)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/02 10:04
S37	6	S36 and time\$1stamp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/02 10:05
S38	2	("6825767").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/07/02 14:07
S39	51721	(sensor, monitor, device) same (medical, physiological, temperature, thermometer) and (temperature, thermometer) and (wireless, antenna, blue\$1tooth, transmitter, transceiver) and (alarm, threshold, alert, limit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/02 14:09
S40	649	S39 and 600/300.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/02 14:12
S41	370	S40 and (interrogate, query, request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/02 14:13
S42	125	S41 and (bend, bendable, flexible, flex, pliable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/02 15:22
S43	21088	(surgery, surgical, medical) same (insert\$4, implant\$4) same (port, access, hollow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/02 15:24

## EAST Search History

S44	5188	"604".clas. and S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/02 15:24
S45	4228	S44 and (tip, head, end) same (hinge, retain\$4, move\$3, remov\$5, dissolv\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/02 15:26
S46	3985	S44 and (tip, head, end) same (hinge, retain\$4, remov\$5, dissolv\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/02 15:26
S47	2866	gps and (sensor, ecg, pulse, heart, monitor) and (response, person, people, help, coworker, emergency) with (nearby, proximity, proximal, close)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/03 15:49
S48	2421	S47 and (cell, tower, cell\$1phone, station, region)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/03 15:49
S49	1846	S48 and (assistance, help, emergency, care)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/03 15:50
S50	1622	S49 and (identify, identification, identity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/04 13:27
S51	811	S50 and (medical, physiological, health)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/03 15:51
S52	10	((("6847892") or ("20040145459") or ("5652570") or ("6510380") or ("5458123"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/07/04 13:09
S53	14312	gps and (sensor, electrode, physiological, pulse, ecg, glucose) and (prope\$3, correc\$3, suitab\$3, adequate\$3, sufficien\$3) with (worn, wearing, attached, placed, connected, used, disposed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/04 13:31

## EAST Search History

S54	211	gps and (sensor, electrode, physiological, pulse, ecg, glucose) and (prope\$3, correc\$3, suitab\$3, adequate\$3, sufficien\$3) with (worn, wearing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/04 13:32
S55	113	gps and (sensor, electrode, physiological, pulse, ecg, glucose) and (prope\$3, correc\$3) with (worn, wearing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/04 13:35
S56	165	(sensor, electrode, patch, detector, device) same (worn, wearing) with (properly, proper, right, correct) same (accuracy, precision, reliability, reliable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/04 14:00
S57	3	S56 and "600".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/04 13:36
S58	14799	(sensor, electrode) same (proper, properly, correct) with (placement, worn, wearing, contact)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/04 14:01
S59	2563	S58 and (ecg, medical, physiological)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/04 14:01
S60	1501	(sensor, electrode) same (proper, properly, correct) with (placement, worn, wearing, contact) same (accuracy, precision, precise, accurate, consistent, reliable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/04 14:10
S61	312	S60 and (medical, ecg, physiological)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/04 14:02
S62	9	(sensor, electrode) same (proper, properly, correct) with (placement, worn, wearing, contact) same (accuracy, precision, precise, accurate, consistent, reliable) same (alert, reminder, remind, instruct)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/04 14:36
S63	1	detect with worn with properly same (alert, remind, instruct)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/04 14:36



## EAST Search History

S64	45	sensor with worn with (properly, correctly)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/05 09:56
S65	101325	(accuracy, false near3 alarm, accurate, precision, outlier) same (position, placement, wearing, worn) with (sensor, electrode, patch, device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/05 09:58
S66	45329	(accuracy, false near3 alarm, accurate, precision, outlier) with (position, placement, wearing, worn) with (sensor, electrode, patch, device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/05 09:59
S67	1301	S66 and "600".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/05 09:59
S68	12980	(accuracy, false near3 alarm, accurate, precision, outlier) with (position, placement, wearing, worn) with (sensor, electrode, patch, device) same (data, reading, information, measured, measurement)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/05 10:08
S69	590	S68 and "600".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/05 10:01
S70	197	(accuracy, false near3 alarm, accurate, precision, outlier) with (position, placement, wearing, worn) with (sensor, electrode, patch, device) same (data, reading, information, measured, measurement) same (remind, reminder, alarm, alert, notify, instruct, instruction, notification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/05 10:15
S71	106	(ecg, heart near3 rate, pulse) same (accuracy, accurate, precision, placement) with (sensor, electrode) same (instruction, instruct, advise, suggest, notify, alert)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/05 10:29
S72	944	(ecg, heart near2 rate, pulse, electrocardiogram) and (proper, correct, improper, incorrect) with (sensor, electrode) with (placement, position) and (instruct, instruction, alert, alarm, notofication) same (placement, position)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/05 10:31

## EAST Search History

S73	186	(ecg, heart near2 rate, pulse, electrocardiogram) and (proper, correct, improper, incorrect) with (sensor, electrode) with (placement, position) same (instruct, instruction, alert, alarm, notofication) same (placement, position)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/07/05 16:15
S74	5	((("6589170") or ("2002013518"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/07/05 16:15
S75	2	("5997476").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/07/06 10:31
S76	2	("6486588").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/07/06 10:31
S77	4	((("6203495") or ("5594740"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/04/28 08:00
S78	4	((("6847892") or ("5652570"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/04/28 08:05
S79	4	((("5365217") or ("6510380"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/04/28 08:07